

Author index to Volume 31, 1994

Key: R = Review Article
 OA = Original article
 SR = Short report
 CR = Case report
 E = Editorial matters
 PV = Personal view
 L = Letter

- Aitken DA *see* Spencer K
 Aitken R, King J, George P. Screening for Down's syndrome 300 (L)
 Aitken RG, Northall H, York GA. High serum concentrations of paraquat increase apparent creatinine concentrations 198 (CR)
 Akhtar N *see* Stone JE
 Aksoy K *see* Yüregir GT
 Al-Ali AK. Erythrocyte reduced glutathione level in sickle cell anaemia and glucose-6-phosphate dehydrogenase deficient Saudi subjects 296 (SR)
 Al-Jubouri MA. Calcium metabolism following renal transplantation 587 (L)
 Al-Jubouri MAA. Isolated aldosterone deficiency progressing to Addison's disease in a 4-year-old girl 391 (L)
 Al Nasser AA *see* Rafii ZS
 Al-Saleh IA, De Vol E, Taylor A. A characterization of the blood lead concentrations in Saudi Arabian children 469 (OA)
 Alagband-Zadeh J *see* Jackson RS
 Alberti KGMM *see* Azad K
 Allen JC *see* Bonham JR
 Alroy G *see* Azzam Z
 Anderson DC *see* Young RP
 Anderson R *see* Spencer K
 Arnold-Larsen S *see* Friis T
 Arpacı A *see* Yüregir GT
 Azad K, Court S, Parkin JM, Laker MF, Alberti KGMM. Lipid levels in schoolchildren in North East England: effects of feeding and age 233 (OA)
 Azzam Z, Krivoy N, Alroy G, Zinder O. Serum creatine kinase levels after a single intramuscular injection—dependence on injection volume 193 (SR)
 Badawy AA-B *see* Morgan CJ
 Badcock NR, Zoanetti GD. Modification of Toxi-Lab procedure for enhanced theophylline detection 586 (L)
 Bader DL *see* Taylor RP
 Baer JC, Hjelm M. Analysis of urinary proteins by liquid chromatography 315 (R)
 Ball MJ, Robertson IK, Woods M. Reflotron cholesterol measurement in general practice: accuracy and detection of errors 556 (OA)
 Ball SG. The chemical pathology of AIDS 401 (R)
 Balla G *see* Oláh VA
 Ballantyne FC *see* Smith KA
 Banu N, Hara H, Kataoka S, Egusa G, Yamakido M. A novel method for concentrating urinary type IV collagen based on precipitation with polyethylene glycol: application to its measurement by enzyme immunoassay 485 (OA)
 Barnes DJ, Mattock MB. Microalbuminuria in type 2 diabetic patients: a cross sectional study 588 (L)
 Beastall GH *see* McConway MG
 Bell NP *see* Hinds G
 Bennett MJ, Ragni MC, Ostfeld RJ, Santer R, Schmidt-Sommerfeld E. Population screening for medium-chain acyl-CoA dehydrogenase deficiency: analysis of medium-chain fatty acids and acylglycines in blood spots 72 (OA)
 Bergqvist Y *see* Eckerbom S
 Berry E *see* Spencer K
 Bishell GP, Lewis H, Rooke RA, Davies HR. Interference by Parvolex with chloride estimation by the Ag/AgCl method 181 (OA)
 Blankenstein MA *see* van Hulst KL
 Bökkenink JPM *see* Stet EH
 Bonham JR, Downing M, Pollitt RJ, Manning NJ, Carpenter KH, Olpin SE, Allen JC, Worthy E. Quality assessment of urinary organic acid analysis 129 (OA)
 Bonora R *see* Panteghini M
 Boot S, LaRoche N, Legg EF. Elimination of bilirubin interference in creatinine assays by routine techniques: comparisons with a high performance liquid chromatography method 262 (OA)
 Botchway S *see* Stone JE
 Boudou P *see* Fiet J
 Bowden SJ *see* Hutcheson ACJ
 Bowles SA, Tait RC, Jefferson SG, Gilleece MH, Haeney MR. Characteristics of monoclonal immunoglobulins that interfere with serum inorganic phosphate measurement 249 (OA)
 Brady J, O'Leary N. Interference due to lipaemia in routine photometric analysis—survey of an underrated problem 281 (OA)
 Braithwaite RA *see* George S
 Brandt NJ *see* ten Brink HJ
 Brearley G *see* Campbell RS
 Budair A *see* Rafii ZS
 Burnett D *see* Wilson JF
 Burrin JM. Molecular aspects of signal transduction in endocrine tissue 205 (R)
 Burrin JM *see also* Lamb EJ, Sylvester ECJ
 Burthier J-M *see* Fiet J
 Butler G *see* Reynolds T
 Buttery JE, Ratnaik RN, Chamberlain BR. A visual screening method for lactose maldigestion 566 (SR)
 Campbell RS, Hollifield RD, Varsani H, Milligan TP, Brearley G, Price CP. Development of an enzyme-mediated assay for phenylalanine in blood spots 140 (OA)
 Carmichael DJS *see* Straffen AM
 Carpenter KH *see* Bonham JR
 Carter GD *see* Jackson RS
 Cathcart S *see* Stewart JM
 Chamberlain BR *see* Buttery JE
 Chambers AM, Johnston J, O'Reilly DSJ. Laboratory blunders revisited 390 (L)
 Chan TYK *see* Young RP
 Chard T *see* Ind TEJ

- Chesner I *see* Lawson N
 Christensen E *see* ten Brink HJ
 Collinson PO, Young LJ, Foo AY, Rosalki SB. Early diagnosis of acute myocardial infarction 301 (L)
 Connor JM *see* Spencer K
 Court S *see* Azad K
 Cramb R *see* Thompson JM
 Critchley JAJH *see* Young RP
 Crossley JA *see* Spencer K
 Csako G. High analyte concentrations in 'airfuged' specimens 389 (L)
 Csáthy L *see* Oláh VA
 Cuckle HS, Jones RG. Maternal serum-free β -human chorionic gonadotrophin level: the effect of sample transportation 97 (SR)
 Cummings MH, Watts GF. Drug treatment of hypercholesterolaemia in a patient with Gilbert's syndrome 383 (CR)
 Davies HR *see* Bishell GP
 De Abreu RA *see* Stet EH
 de Jong JGN, Heijs WMJ, Wevers RA. Mucopolysaccharidoses screening: dimethylmethylene blue versus Alcian blue 267 (OA)
 De Vol E *see* Al-Saleh IA
 Deacon AC. The measurement of 5-hydroxyindoleacetic acid in urine 215 (R)
 Deger O *see* Örem A
 Delamere J *see* Labib M
 Denmeade R *see* Keffler S
 Diver MJ, Hughes JG, Hutton JL, West CR, Hipkin LJ. The long-term stability in whole blood of 14 commonly-requested hormone analytes 561
 Dolan J *see* Nugent A
 Dominiczak MH *see* Kilpatrick ES, Stewart JM
 Dover S, McAllister J, Moore MR, McColl KEL. Normal serum alpha-fetoprotein in acute hepatic porphyria 289 (SR)
 Downing M *see* Bonham JR
 Duffy MJ *see* Nugent A
 Earl JW *see* Goldsmith RF
 Eckerbom S, Bergqvist Y, Jeppsson J-O. Improved method for analysis of glycated haemoglobin by ion exchange chromatography 355 (OA)
 Edwards P *see* Reynolds T
 Edwards R *see* John WG
 Efe H *see* Örem A
 Egusa G *see* Banu N
 Fairney A *see* Straffen AM
 Farriol M, Schwartz S. Plasma carnitine reference values 188 (SR)
 Fiet J, Villette J-M, Galons H, Boudou P, Burthier J-M, Hardy N, Soliman H, Julien R, Vexiau P, Gourmelen M, Kuttann F. The application of a new highly-sensitive radioimmunoassay for plasma 21-deoxycortisol to the detection of steroid-21-hydroxylase deficiency 56 (OA)
 Fitzgibbon MC, Tormey WP. Paediatric reference ranges for urinary catecholamines/metabolites and their relevance in neuroblastoma diagnosis 1 (R)
 Florkowski CM, Jones AF, Guy JM, Husband DJ, Stevens J. Retinol binding proteinuria and phosphaturia: markers of paracetamol-induced nephrotoxicity 331 (OA)
 Flynn MD *see* Waters PJ
 Foo AY *see* Collinson PO
 Friis T, Pedersen LR, Arnold-Larsen S, Nielsen DB. Microalbuminuria in type 2 diabetic patients: a cross sectional study of frequency, sex distribution and relation to hypertension 160 (OA). 588 (L)
 Fry AJ *see* Southgate HJ
 Furui T *see* Imai A
 Fyffe JA. Long-term experience of quality assurance of cholesterol testing in a general practice surgery 568 (SR)
 Gallagher J *see* Nugent A
 Galons H *see* Fiet J
 Gaskin K *see* Goldsmith RF
 George P *see* Aitken R
 George S, Braithwaite RA. Drugs of abuse screening in the West Midlands: a six year retrospective survey of results 473 (OA)
 George S, Braithwaite RA, Hughes EA. Digoxin measurements following plasma ultrafiltration in two patients with digoxin toxicity treated with specific Fab fragments 380 (CR)
 Gilleece MH *see* Bowles SA
 Gips CH *see* Huizenga JR
 Glasier A *see* Gow SM
 Gobin PT *see* Tillyer CR
 Goldsmith RF, Gruca M, O'Halloran MT, Earl JW, Gaskin K. Determination of conjugated and unconjugated serum 3 α -OH bile acids by high-performance liquid chromatography 479 (OA)
 Gosling P, Zareian M. Fresh haemolysis interferes with blocked p-nitrophenylmaltoheptaoside amylase methods 371 (OA)
 Gourmelen M *see* Fiet J
 Gow SM, Turner EI, Glasier A. The clinical biochemistry of the menopause and hormone replacement therapy 509 (R)
 Green A *see* Keffler S
 Gruca M *see* Goldsmith RF
 Guy JM *see* Florkowski CM
 Hackeng WHL *see* van Hulst KL
 Haddon A *see* Labib M
 Haeney MR *see* Bowles SA
 Hammond PM *see* Milligan TP
 Hara H *see* Banu N
 Hardy N *see* Fiet J
 Hata K, Miura M. Evaluation of an immunoassay method for the determination of urinary collagen crosslink excretion 374 (SR)
 Hata K *see also* Miura M
 Heijs WMJ *see* de Jong JGN
 Hinds G, Bell NP, McMaster D, McCluskey DR. Normal red cell magnesium concentrations and magnesium loading tests in patients with chronic fatigue syndrome 459 (OA)
 Hine TJ, Roberts NB. Seasonal variation in serum 25-hydroxy vitamin D₃ does not affect 1,25-dihydroxy vitamin D 31 (OA)
 Hipkin LJ *see* Diver MJ
 Hirst AD *see* Wilson JF
 Hjelm M *see* Baer JC
 Holland S *see* Kaddam IMS
 Hollifield RD *see* Campbell RS

- Holt DW, Johnston A, Roberts NB, Tredger JM, Trull AK.** Methodological and clinical aspects of cyclosporin monitoring: report of the Association of Clinical Biochemists task force **420** (R)
- Hooper RJL.** Alcoholic ketoacidosis: the late presentation of acidosis in an alcoholic **579** (CR)
- Höppener JWM** see van Hulst KL
- Horn AN** see Wilson JF
- Horváth VAP, Wanders RJA.** Re-evaluation of conditions required for measurement of true alanine: glyoxylate aminotransferase activity in human liver: implications for the diagnosis of hyperoxaluria type I **361** (OA)
- Hughes EA** see George S
- Hughes JG** see Diver MJ
- Hughes SV** see Hutchesson ACJ
- Huizenga JR, Tangerman A, Gips CH.** Determination of ammonia in biological fluids **529** (R)
- Hulme B** see Straffen AM
- Husband DJ** see Florkowski CM
- Hutchesson ACJ, Hughes SV, Bowden SJ, Ratcliffe WA.** *In vitro* stability of endogenous parathyroid hormone-related protein in blood and plasma **35** (OA)
- Hutton JL** see Diver MJ
- Hutton P** see Thompson JM
- Iles RK** see Ind TEJ
- Imai A, Ohno T, Ohsuye K, Tamaya T.** Expression of gonadotropin-releasing hormone receptor in human epithelial ovarian carcinoma **550** (OA)
- Imai A, Ohno T, Takahashi K, Furui T, Tamaya T.** Lack of evidence for aromatase expression in human ovarian epithelial carcinoma **65** (OA)
- Ind TEJ, Iles RK, Chard T.** Low serum levels of placental and placental-like alkaline phosphatase isoenzymes in women with blood groups A and AB **89** (SR)
- Iqbal J** see Tillyer CR
- Iqbal SJ.** Vitamin D metabolism and the clinical aspects of measuring metabolites **109** (R)
- Iqbal SJ** see also Kaddam IMS
- Jackson RS, Carter GD, Wise PH, Alaghband-Zadeh J.** Comparison of paired short Synacthen and insulin tolerance tests soon after pituitary surgery **46** (OA)
- Jakobs C** see ten Brink HJ
- Jefferson SG** see Bowles SA
- Jeppsson J-O** see Eckerbom S
- Jewkes F** see Reynolds T
- John WG, Edwards R, Price CP.** Laboratory evaluation of the DCA 2000 clinic HbA_{1c} immunoassay analyser **367** (OA)
- Johnston A** see Holt DW
- Johnston J** see Chambers AM
- Jones AF** see Florkowski CM
- Jones RG** see Cuckle HS
- Julien R** see Fiet J
- Kaddam IMS, Iqbal SJ, Holland S, Wong M, Manning D.** Comparison of serum osteocalcin with total and bone specific alkaline phosphatase and urinary hydroxyproline: creatinine ratio in patients with Paget's disease of bone **327** (OA)
- Kahn S** see Vasikaran SD
- Kanis JA** see Vasikaran SD
- Karahan SC** see Örem A
- Kataoka S** see Banu N
- Keffler S, Denmeade R, Green A.** Neonatal screening for phenylketonuria: evaluation of an automated enzymatic method **134** (OA)
- Keizer-Garritsen JJ** see Stet EH
- Kilpatrick ES, Kilpatrick WS, Dominiczak MH.** Reversible extreme hyperlipidaemia in a patient with excessive ice cream consumption **103** (CR)
- Kilpatrick ES** see also Stewart JM
- Kilpatrick WS** see Kilpatrick ES
- King J** see Aitken R
- Komoda T** see Miura M
- Konings M** see Tillyer CR
- Krivoy N** see Azzam Z
- Kuttent F** see Fiet J
- Labib M, Haddon A, Delamere J.** Behçet's disease and hypopituitarism: a possible link **506** (CR)
- Labib M** see also Palfrey S
- Laker MF** see Azad K
- Lamb EJ, Noonan KA, Burrin JM.** Urine-free cortisol excretion: evidence of sex-dependence **455** (OA)
- Lambooy LHJ** see Stet EH
- Lapworth R, Teal TK.** Laboratory blunders revisited, **78** (OA), **390** (L)
- LaRoche N** see Boot S
- Lau MSW** see Young RP
- Lawson N, Chesner I.** Tests of exocrine pancreatic function **305** (R)
- Lee KKC** see Young RP
- Legg EF** see Boot S
- Leonard MB, Tarpey A, Mulvaney A, Neithercut WD.** Erroneous iron level reported in a child with suspected overdose **583** (CR)
- Levin GE, Nisbet JA.** Stability of parathyroid hormone-related protein and parathyroid hormone at room temperature **497** (OA)
- Lewis H** see Bishell GP
- Lips CJM** see van Hulst KL
- Longley M** see O'Leary PC
- McAllister J** see Dover S
- McCaw G** see Spencer K
- McCloskey EV** see Vasikaran SD
- McCluskey DR** see Hinds G. Robinson S
- McColl KEL** see Dover S
- McConway MG, Beastall GH.** Cofluorescence enhancement improves immunofluorimetric assay minimum detection limit **576** (SR)
- McMaster D** see Hinds G
- Macri JN** see Spencer K
- Manning D** see Kaddam IMS
- Manning NJ** see Bonham JR
- Mapp BJ, Mascall GC.** A glucose quality assessment scheme suitable for use with the visual-read Boehringer Mannheim BM-test 1-44 system **570** (SR)
- Mascall GC** see Mapp BJ
- Mattock MB** see Barnes DJ
- Miles J, Riches P.** The determination of IgG subclass concentrations in serum by enzyme-linked immunosorbent assay: establishment of age-related reference ranges for cord blood samples, children aged 5-13 years and adults **245** (OA)
- Milligan TP, Morris HC, Hammond PM, Price CP.** Studies on paracetamol binding to serum proteins **492** (OA)

- Milligan TP** *see also* Campbell RS
Miura M, Sakagishi Y, Hata K, Komoda T. Differences between the sugar moieties of liver- and bone-type alkaline phosphatases: a re-evaluation 25 (OA)
Miura M *see also* Hata K
Moore MR *see* Dover S
Morgan CJ, Badawy AA-B. Effects of storage on binding and stability of tryptophan in human serum 190 (SR)
Morris HC *see* Milligan TP
Mulvaney A *see* Leonard MB
Murphy MJ, Paterson JR, Neithercut WD. On-call duties in chemical pathology: a survey of junior medical staff in the UK 184 (OA)
Myring A *see* Wicks JFC

Nagaya T, Nakaya K, Takahashi A, Yoshida I, Okamoto Y. Relationships between serum saturated fatty acids and serum total cholesterol and HDL-cholesterol in humans 240 (OA)
Nagaya K *see* Nagaya T
Neithercut WD *see* Leonard MB. Murphy MJ
Nielsen DB *see* Friis T
Nieuwenhuis MG *see* van Hulst KL
Nisbet JA *see* Levin GE
Noonan KA *see* Lamb EJ
Northall H *see* Aitken RG
Nugent A, Gallagher J, Dolan J, O'Higgins N, Duffy MJ. Assay of the c-erbB-2 oncogene encoded protein by ELISA and immunocytochemistry in human breast cancer 171 (OA)

O'Halloran MT *see* Goldsmith RF
O'Higgins N *see* Nugent A
Ohno T *see* Imai A
Ohshye K *see* Imai A
Okamoto Y *see* Nagaya T
O'Kane MJ *see* Robinson S
Oláh VA, Csáthy L, Varga J, Pócsi I, Price RG, Balla G. Reference ranges for urinary *N*-acetyl- β -D-glucosaminidase in healthy children determined with three colorimetric methods 87 (SR)
O'Leary N *see* Brady J
O'Leary PC, Longley M. Serum insulin-like growth factor binding protein-1 in pregnant women: decreased concentrations following an oral glucose load 40 (OA)
Olpin SE *see* Bonham JR
Önder E *see* Örem A
O'Reilly DSJ *see* Chambers AM
Örem A, Deger O, Önder E, Karahan SC, Efe H, Uzunosmanoglu D. Distribution of serum lipoprotein (a) concentrations in a healthy Turkish population 343 (OA)
Ostfeld RJ *see* Bennett MJ

Pagani F *see* Panteghini M
Palfrey S, Labib M. A rapid automated method for measuring glycated haemoglobin on the Beckman CX7 analyser 293 (SR)
Panteghini M, Bonora R, Pagani F. Determination of glycated apolipoprotein B in serum by a combination of affinity chromatography and immunonephelometry 544 (OA)
Parkin JM *see* Azad K

Parr D *see* Southgate HJ
Paterson JR *see* Murphy MJ
Pedersen LR *see* Friis T
Pennock CA *see* Stone JE. Waters PJ
Peters TJ *see* Wassif WS
Piscator, 107, 204, 304, 400, 508, 588
Pócsi I *see* Oláh VA
Poliack AA *see* Taylor RP
Pollitt RJ *see* Bonham JR
Price CP *see* Campbell RS. John WG. Milligan TP. Sylvester ECJ
Price RG *see* Oláh VA

Rafii ZS, Al Nasser AA, Budair A, Tufail M. Establishing reference total serum cholesterol values for Saudi children 347 (OA)
Ragni MC *see* Bennett MJ
Ratcliffe WA *see* Hutcheson ACJ
Ratnaik RN *see* Buttery JE
Reynolds T, Edwards P, Butler G, Jewkes F. Isolated aldosterone deficiency progressing to Addison's disease in a 4-year-old girl, 99 (CR). 391 (L)
Riches P *see* Miles J
Roberts NB *see* Hine TJ. Holt DW
Robertshaw AM *see* Young RP
Robertson IK *see* Ball MJ
Robinson S, O'Kane MJ, McCluskey DR. Allergy to human seminal plasma 298 (CR)
Rooke RA *see* Bishell GP
Rosalki SB *see* Collinson PO

Sakagishi Y *see* Miura M
Salisbury JR *see* Wassif WS
Santer R *see* Bennett MJ
Savva D *see* Smith KA
Schmidt-Sommerfeld E *see* Bennett MJ
Schwartz S *see* Farriol M
Sherman D *see* Wassif WS
Siebers R. Laboratory blunders revisited 390 (L)
Simpson K *see* Smith KA
Small M *see* Stewart JM
Smellie WSA. Secondary hyperlipidaemia: beyond the primary debate, 85 (SR)
Smith BL *see* Wilson JF
Smith KA, Ballantyne FC, Savva D, Simpson K. Classification of an albumin 376 (CR)
Smith SCH *see* Thompson JM
Snell M *see* Straffen AM
Soliman H *see* Fiet J
Southgate HJ, Fry AJ, Parr D. Suppressed serum parathormone concentrations during hypercalcaemia in a surgically proven parathyroid adenoma of pregnancy: an unusual case 386 (CR)
Southgate HJ *see also* Stearman M
Spencer K, Aitken DA, Crossley JA, McCaw G, Berry E, Anderson R, Connor JM, Macri JN. First trimester biochemical screening for trisomy 21: the role of free beta hCG, alpha fetoprotein and pregnancy associated plasma protein A 447 (OA)
Stearman M, Southgate HJ. The use of cytokine and C-reactive protein measurements in cerebrospinal fluid during acute infective meningitis 255 (OA)
Stern HJ. Lactic acidosis in paediatrics: clinical and laboratory evaluation 410 (R)

- Stet EH, De Abreu RA, Bökterink JPM, Lambooy LHJ, Vogels-Mentink TM, Keizer-Garritsen JJ, Trijbels FJM. Inhibition of IMP dehydrogenase by mycophenolic acid in Molt F4 human malignant lymphoblasts 174 (OA)
- Stevens J see Florkowski CM
- Stewart JM, Kilpatrick ES, Cathcart S, Small M, Dominiczak MH. Low-density lipoprotein particle size in type 2 diabetic patients and age matched controls 153 (OA)
- Stone JE, Akhtar N, Botchway S, Pennock CA. Interaction of 1,9-dimethylmethylen blue with glycosaminoglycans 147 (OA)
- Straffen AM, Carmichael DJS, Fairney A, Hulme B, Snell M. Calcium metabolism following renal transplantation 125 (OA)
- Sylvester ECJ, Price CP, Burrin JM. Investigation of the potential for interference with whole blood glucose strips 94 (SR)
- Tait RC see Bowles SA
- Takahashi A see Nagaya T
- Takahashi K see Imai A
- Tamaya T see Imai A
- Tangerman A see Huizenga JR
- Tarpey A see Leonard MB
- Taylor A see Al-Saleh IA
- Taylor AJ. Erythrocyte membrane fatty acid composition in hypercholesterolaemia 351 (OA)
- Taylor RP, Polliack AA, Bader DL. The analysis of metabolites in human sweat: analytical methods and potential application to investigation of pressure ischaemia of soft tissues 18 (OA)
- Teal TK see Lapworth R
- ten Brink HJ, Wanders RJA, Christensen E, Brandt NJ, Jakobs C. Heterogeneity in di/trihydroxycholestanic acidemia 195 (SR)
- Thompson JM, Smith SCH, Cramb R, Hutton P. Clinical evaluation of sodium ion selective field effect transistors for whole blood assay 12 (OA)
- Thompson SJ. Salivary theophylline concentrations in neonates 277 (OA)
- Tillyer CR, Konings M, Gobin PT, Iqbal J. Disagreement between the Roche Cobas Core and Hybritech TANDEM-E PSA assays when measuring free, complexed and total serum prostate specific antigen 501 (OA)
- Tormey WP see Fitzgibbon SC
- Toseland PA see Wilson JF
- Tredger JM see Holt DW
- Trijbels FJM see Stet EH
- Trull AK see Holt DW
- Tufail M see Rafii ZS
- Tuli A see Yüregir GT
- Turner EI see Gow SM
- Ünlükurt I see Yüregir GT
- Uzunosmanoglu D see Örem A
- van Hulst KL, Hackeng WHL, Höppener JWM, van Jaarsveld BC, Nieuwenhuis MG, Blankenstein MA, Lips CJM. An improved method for the determination of islet amyloid polypeptide levels in plasma 165 (OA)
- van Jaarsveld BC see van Hulst KL
- Varga J see Oláh VA
- Varsani H see Campbell RS
- Vasikaran SD, McCloskey EV, Kahn S, Kanis JA. Intra-individual variation in fasting urinary calcium- and hydroxyproline-creatinine ratios measured in metabolic bone clinic patients as both outpatients and inpatients 272 (OA)
- Vexiau P see Fiet J
- Villette J-M see Fiet J
- Vogels-Mentink TM see Stet EH
- Wanders RJA see Horváth VAP. ten Brink HJ
- Wassif WS, Sherman D, Salisbury JR, Peters TJ. Use of dynamic tests of muscle function and histomorphometry of quadriceps muscle biopsies in the investigation of patients with chronic alcohol misuse and chronic fatigue syndrome 462 (OA)
- Waters PJ, Flynn MD, Pennock CA. Association between serum cholesterol and leucocyte lysosomal function 91 (SR)
- Watson ID see Wilson JF
- Watts GF see Cummings MH
- West CR see Diver MJ
- Wevers RA see de Jong JGN
- Wicks JFC, Myring A, Wilson JF. Interference by caffeine in polarization fluoroimmunoassays for theophylline in external quality assurance samples 291 (SR)
- Williams J see Wilson JF
- Wilson JF, Smith BL, Toseland PA, Williams J, Burnett D, Hirst AD, Watson ID, Horn AN. External quality assessment of techniques for the detection of drugs of abuse in urine 335 (OA)
- Wilson JF see also Wicks JFC
- Wise PH see Jackson RS
- Wong M see Kaddam IMS
- Woods M see Ball MJ
- Worthy E see Bonham JR
- Yamakido M see Banu N
- York GA see Aitken RG
- Yoshida I see Nagaya T
- Young LJ see Collinson PO
- Young RP, Critchley JAJH, Lau MSW, Lee KKC, Robertshaw AM, Chan TYK, Anderson DC. Reliability of glucose measurement using the HemoCue analyser in hypoglycaemia 573 (SR)
- Yüregir GT, Aksoy K, Arpacı A, Ünlükurt I, Tuli A. Studies on red cell glucose-6-phosphate dehydrogenase: evaluation of reference values 50 (OA)
- Zareian M see Gosling P
- Zinder O see Azzam Z
- Zoanetti GD see Badcock NR

Subject index to Volume 31, 1994

Key: R = Review article
 OA = Original article
 SR = Short report
 CR = Case report
 E = Editorial matters
 PV = Personal view
 L = Letter

- Acetylcysteine**, see Parvolex
- Acidosis**, ketoacidosis in an alcoholic. 579 (CR)
- Addison's disease**, isolated aldosterone deficiency progressing to, 4-year-old girl 99 (CR). 391 (L)
- Adenoma**, parathyroid, of pregnancy, suppressed serum parathormone concentrations during hypercalcaemia 386 (CR)
- Affinity chromatography** and immunonephelometry, in determination of glycated apolipoprotein B in serum 544 (OA)
- Ag/AgCl method** for chloride estimation, interference by Parvolex 181 (OA)
- AIDS**, chemical pathology 401 (R)
- 'Airluged' specimens**, high analyte concentrations 389 (L)
- Alanine:glyoxylate aminotransferase**, true activity, measurement in human liver, and implications for hyperoxaluria type I diagnosis 361 (OA)
- Albumin**
 binding, effects of storage of serum tryptophan 190 (SR)
 classification of an allobumin 376 (CR)
- Alcian blue** versus dimethylmethylene blue in mucopolysaccharidoses screening 267 (OA)
- Alcohol misuse**
 chronic, and chronic fatigue syndrome, muscle function tests 462 (OA)
 ketoacidosis: late presentation in an alcoholic 579 (CR)
- Aldosterone deficiency**, isolated, progressing to Addison's disease, 4-year-old girl 99 (CR). 391 (L)
- Alkaline phosphatase**
 hydroxyproline/creatinine ratio and osteocalcin compared, in Paget's disease of bone 327 (OA)
 liver and bone, sugar moieties, differences between 25 (OA)
- Alkaline phosphatase isoenzymes**, placental and placental-like, low serum levels in women with blood groups A and AB 89 (SR)
- Allobumin**, classification 376 (CR)
- Alpha fetoprotein**
 normal serum, in acute hepatic porphyria 289 (SR)
 role in biochemical screening of trisomy 21 447 (OA)
- Ammonia**, determination in biological fluids 529 (R)
- Amylin**, see Islet amyloid polypeptide
- Analyte**, high concentrations in 'airfuged' specimens 389 (L)
- Apolipoprotein B**, glycated, determination in serum by combination of affinity chromatography and immunonephelometry 544 (OA)
- Aromatase expression** lack of evidence in human ovarian epithelial carcinoma 65 (OA)
- Beckman CX7 analyser**, rapid automated method for measuring glycated haemoglobin 293 (SR)
- Behçet's disease**, and hypopituitarism, possible link 506 (CR)
- Bile acids**, 3 α -OH, conjugated and unconjugated serum, determination by high-performance liquid chromatography 479 (OA)
- Bilirubin interference**, elimination in creatinine assays by routine techniques 262 (OA)
- Blood groups A and AB**, low serum levels of placental and placental-like alkaline phosphatase isoenzymes 89 (SR)
- Blood spots**
 automated screening for phenylketonuria 134 (OA)
 development of enzyme-mediated assay for phenylalanine 140 (OA)
 metabolites in MCAD deficiency 72 (OA)
- Blunders**, laboratory, revisited 78 (OA). 390 (L)
- Boehringer Mannheim BM-test 1-44 system**, visual-read, suitable glucose quality assessment scheme 570 (SR)
- Bone** and liver alkaline phosphatases, sugar moieties, differences between 25 (OA)
- Book reviews**
 Bianchi C, Bocci V, Carone FA, Rabkin R, *editors*. Contributions to nephrology, Vol 101. Kidney, proteins and drugs: an update, 1993, 303
 Cavendish JK, Crook MA. Notes on clinical biochemistry, 1993, 201
 Cooper DN, Krawczak M. Human gene mutation, 1993, 393
 Doods HN, Van Meel JCA, *editors*. Receptor data for biological experiments: a guide to drug selectivity, 1991, 200
 Dunn MJ. Introduction to biotechniques: Gel electrophoresis. proteins, 1993, 397
 Heslop-Harrison JS, Flavell RB, *editors*. The chromosome, 1993, 396
 Holman RB, Cross AJ, Joseph MH, *editors*. High performance liquid chromatography in neuroscience research, vol 15. IBRO handbook series: Methods in the neurosciences, 1991, 202
 Ichinose N, Schwedt G, Schnepel FM, Adachi K. Fluorimetric analysis in biomedical chemistry—trends and techniques including HPLC applications, 1991, 106
 König W. Peptide and protein hormones. structure, regulation, activity, 1993, 393
 Kucharz EJ. The collagens. biochemistry and pathophysiology, 1992, 201
 Masseyeff RF, Albert WH, Staines NA, *editors*. Methods of immunological analysis. Vol 1. Fundamentals: Vol 2. Samples and reagents, 1993, 394
 Noggle JH. Practical curve fitting and data analysis. software and self-instruction for scientists and engineers, 1992, 200
 Quinn PJ, Cherry RJ, *editors*. Structural and dynamic properties of lipids and membranes, 1992, 106
 Roulston JE, Leonard RCF. Serological tumour markers. an introduction, 1993, 396

- Tietz NW, Conn RB, Pruden EL, *editors*. Applied laboratory medicine, 1992, 395
- Walker MR, Rapley R, *editors*. Molecular and antibody probes in diagnosis, 1993, 397
- Williams J, Ceccarelli A, Spurr N. Genetic engineering, 1993, 201
- Young DS. Effects of pre analytical variables on clinical laboratory tests, 1993, 398
- Breast cancer**, c-erbB-2 oncogene encoded protein, assay by ELISA and immunocytochemistry 171 (OA)
- c-erbB-2 oncogene encoded protein**, ELISA and immunocytochemistry assay, in human breast cancer 171 (OA)
- C-reactive protein** and cytokine measurements in cerebrospinal fluid, use during acute infective meningitis 255 (OA)
- Caffeine**, causing interference in polarization fluoroimmunoassays for theophylline in external quality assurance samples 291 (SR)
- Calciolol**, measuring, clinical aspects 109 (R)
- Calcitriol**, measuring, clinical aspects 109 (R)
- Calcium**
metabolism following renal transplantation 125 (OA). 587 (L)
urinary, intra-individual variation, bone disorders 272 (OA)
- Carcinoid tumours**, measurement of 5-hydroxyindoleacetic acid in urine 215 (R)
- Carnitine**, plasma, reference values 188 (SR)
- Catecholamines/metabolites**, urinary, paediatric reference ranges, relevance in neuroblastoma diagnosis 1 (R)
- Cerebrospinal fluid**, cytokine and C-reactive protein measurements, use during acute infective meningitis 255 (OA)
- Chemical pathology**, on-call duties, survey of junior medical staff in the UK 184 (OA)
- Chloride** estimation by Ag/AgCl method, interference by Parvolex 181 (OA)
- Cholesterol**
establishing reference total serum values for Saudi children 347 (OA)
levels, schoolchildren, North East England, effects of feeding and age 233 (OA)
measurement using Reflotron analyser, in general practice, accuracy and detection of errors 556 (OA)
serum, and leucocyte lysosomal function, association between 91 (SR)
serum total, HDL-cholesterol, and serum saturated fatty acids, relationships between 240 (OA)
testing in a general practice surgery, quality assurance, long term experience 568 (SR)
- Chronic fatigue syndrome**
and chronic alcohol abuse, muscle function tests 462 (OA)
normal red cell concentrations and magnesium loading tests 459 (OA)
- Cofluorescence enhancement** improves immuno-fluorimetric assay minimum detection limit 576 (SR)
- Collagen crosslink excretion**, urinary, immunoassay method for determination, evaluation 374 (SR)
- Collagen**, urinary type IV, precipitation with polyethylene glycol, measurement by enzyme immunoassay 485 (OA)
- Corrections**, 203
- Cortisol**, urine-free, excretion, evidence of sex-dependence 455 (OA)
- Creatine kinase**, serum levels after single intramuscular injection, dependence on injection volume 193 (SR)
- Creatinine concentrations**, apparent, high paraquat serum concentrations increase 198 (CR)
- Cyclosporin** monitoring, methodological and clinical aspects 420 (R)
- Cytokine** and C-reactive protein measurements in cerebrospinal fluid, use during acute infective meningitis 255 (OA)
- DCA 2000 clinic HbA_{1c} immunoassay analyser**, laboratory evaluation 367 (OA)
- 21-Deoxycortisol**, plasma, new highly-sensitive radioimmunoassay, application for detection of steroid-21-hydroxylase deficiency, 56 (OA)
- Di/trihydroxycholestanic acidemia**, heterogeneity 195 (SR)
- Diabetes, type 2**
LDL particle size 153 (OA)
microalbuminuria 160 (OA). 588 (L)
- Digoxin** measurements following plasma ultrafiltration in digoxin toxicity treated with specific Fab fragments 380 (CR)
- 1,25-Dihydroxyvitamin D**, measuring, clinical aspects 109 (R)
- 1,9-Dimethylmethylene blue**, interaction with glycosaminoglycans 147 (OA)
- Dimethylmethylene blue** versus Alcian blue in mucopolysaccharidoses screening 267 (OA)
- Down's syndrome**, screening 300 (L)
- Drugs of abuse**
screening, West Midlands, 6 year retrospective survey of results 473 (OA)
in urine, detection, external quality assessment of techniques 335 (OA)
- ELISA**, c-erbB-2 oncogene encoded protein in breast cancer 171 (OA)
- Endocrine tissue**, signal transduction, molecular aspects 205 (R)
- Errors**, laboratory blunders revisited 78 (OA). 390 (L)
- Erythrocyte membrane fatty acid** composition in hypercholesterolaemia 351 (OA)
- Erythrocyte** reduced glutathione level in sickle cell anaemia and glucose-6-phosphate dehydrogenase deficient Saudi subjects 296 (SR)
- Exocrine pancreatic function**, tests 305 (R)
- External quality assessment** of techniques for detection of drugs of abuse in urine 335 (OA)
- Fab fragments**, in digoxin toxicity treatment, digoxin measurements following plasma ultrafiltration 380 (CR)
- Fatty acids**
composition, erythrocyte membrane, in hypercholesterolaemia 351 (OA)
serum saturated, serum total cholesterol and HDL-cholesterol, relationships between 240 (OA)
- Feeding**, age, and lipid levels in schoolchildren 233 (OA)
- General practice surgery**, cholesterol testing, quality assurance, long term experience 568 (SR)
- Gilbert's syndrome**, and hypercholesterolaemia, drug treatment 383 (CR)

Glucose

measurement using HemoCue analyser in hypoglycaemia, reliability 573 (SR)
potential for interference with whole blood glucose strips 94 (SR)

quality assessment scheme suitable for use with visual-read Boehringer Mannheim BM-test 1-44 system 570 (SR)

Glucose-6-phosphate dehydrogenase

deficient Saudi subjects, and sickle cell anaemia, erythrocyte reduced glutathione level 296 (SR)
red cell, evaluation of reference values 50 (OA)

Glycated apolipoprotein B, determination in serum by combination of affinity chromatography and immunonephelometry 544 (OA)**Glycated haemoglobin**

improved method for analysis by ion exchange chromatography 355 (OA)

laboratory evaluation of DCA 2000 clinic HbA_{1c} immunoassay analyser 367 (OA)

measurement by rapid automated method on Beckman CX7 analyser 293 (SR)

Glycosaminoglycans, interaction with 1,9-dimethyl-methylene blue 147 (OA)**Gonadotropin-releasing hormone receptor**, expression in human epithelial ovarian carcinoma 550 (OA)**Gramoxone**, see Paracetamol**Haemolysis** interferes with blocked p-nitrophenyl-maltoheptaoside amylase methods 371 (OA)**HDL-cholesterol**, serum total cholesterol, and serum saturated fatty acids, relationships between 240 (OA)**HemoCue analyser**, reliability of glucose measurement in hypoglycaemia 573 (SR)**Hepatic porphyria**, acute, normal serum alpha-fetoprotein 289 (SR)**High-performance liquid chromatography**, in determination of conjugated and unconjugated serum 3 α -OH bile acids 479 (OA)**Hormone replacement therapy**, and clinical biochemistry of the menopause 509 (R)**Hormones** in whole blood, long-term stability 561 (OA) **β -Human chorionic gonadotrophin**

maternal serum-free, effect of sample transportation 97 (SR)

role in biochemical screening of trisomy 21 447 (OA)

Hybritech TANDEM-E PSA assay and Roche Cobas Core assay, disagreement between when measuring free, complexed and total serum prostate specific antigen 501 (OA)**25-Hydroxy vitamin D₃**, serum, seasonal variation does not affect 1,25-Dihydroxy vitamin D 31 (OA)**1,25-Hydroxy vitamin D**, not affected by seasonal variation in serum 25-hydroxy vitamin D₃ 31 (OA)**5-Hydroxyindoleacetic acid** in urine, measurement 215 (R)**Hydroxyproline**

/creatinine ratio, compared with osteocalcin and alkaline phosphatase, in Paget's disease of bone 327 (OA)

urinary, intra-individual variation, bone disorders 272 (OA)

25-Hydroxyvitamin D, measuring, clinical aspects 109 (R)**Hypercalcaemia**, suppressed serum parathormone concentrations during, in surgically proven parathyroid adenoma of pregnancy 386 (CR)**Hypercholesterolaemia**

erythrocyte membrane fatty acid composition 351 (OA)

in Gilbert's syndrome, drug treatment 383 (CR)

Hyperlipidaemia

extreme, reversible, in patient with excessive ice cream consumption 103 (CR)

secondary, beyond the primary debate 85 (SR)

Hyperoxaluria type I diagnosis, and measurement of true alanine:glyoxylate aminotransferase activity in liver 361 (OA)**Hypoglycaemia**, reliability of glucose measurement using Hemo-Cue analyser 573 (SR)**Hypopituitarism**, and Behçet's disease, possible link 506 (CR)**Ice cream consumption**, excessive, and reversible extreme hyperlipidaemia 103 (CR)**Immunoassay** method for determination of urinary collagen crosslink excretion, evaluation 374 (SR)**Immunocytochemistry**, c-erbB-2 oncogene encoded protein in breast cancer 171 (OA)**Immunofluorimetric assay**, cofluorescence enhancement improves minimum detection limit 576 (SR)**Immunoglobulin G subclass concentrations**, serum, determination by ELISA, reference ranges, age-related 245 (OA)**Immunoglobulins**, monoclonal, characteristics that interfere with serum inorganic phosphate measurement 249 (OA)**Immunonephelometry** and affinity chromatography, in determination of glycated apolipoprotein B in serum 544 (OA)**Inosine monophosphate dehydrogenase**, inhibition by mycophenolic acid in Molt F4 human malignant lymphoblasts 174 (OA)**Insulin-like growth factor binding protein-1**, serum, in pregnant women, decreased concentrations following oral glucose overload 40 (OA)**Insulin tolerance** and Synacthen (paired short) tests compared after pituitary surgery 46 (OA)**Ion exchange chromatography**, improved method for analysis of glycated haemoglobin 355 (OA)**Ion selective electrodes**, clinical evaluation for whole blood assay 12 (OA)**Iron**, erroneous level reported in child with suspected overdose 583 (CR)**ISFETS** for sodium in whole blood 12 (OA)**Islet amyloid polypeptide** levels in plasma, determination, improved method 165 (OA)**Junior medical staff**, on-call duties in chemical pathology, survey, UK 184 (OA)**Ketoacidosis in an alcoholic**: late presentation 579 (CR)**Laboratory blunders revisited** 78 (OA). 390 (L)**Lactic acidosis** in paediatrics. clinical and laboratory evaluation 410 (R)**Lactose maldigestion**, visual screening method 566 (SR)**Lead**, blood concentrations in Saudi Arabian children 469 (OA)**Leucocyte lysosomal function** and serum cholesterol, association between 91 (SR)

- Lipaemia**, causing interference in routine photometric analysis, survey of an underrated problem **281** (OA)
- Lipaeic serum specimens**, high analyte concentrations in 'airfuged' specimens **389** (L)
- Lipid levels**, schoolchildren, North East England, effects of feeding and age **233** (OA)
- Lipoprotein (a)**, serum concentrations, distribution in healthy Turkish population **343** (OA)
- Liquid chromatography**, in urinary protein analysis **315** (R)
- Liver** and bone alkaline phosphatases, sugar moieties, differences between **25** (OA)
- Low-density lipoprotein** particle size in type 2 diabetic patients and age matched controls **153** (OA)
- Lymphoblasts**, Molt F4 human malignant, IMP dehydrogenase inhibition by mycophenolic acid **174** (OA)
- Lysosomal storage diseases**, association between serum cholesterol and leucocyte lysosomal function **91** (SR)
- Magnesium**, normal red cell concentrations, and magnesium loading tests in patients with chronic fatigue syndrome **459** (OA)
- Medium-chain acyl-CoA dehydrogenase deficiency**, population screening, analysis of medium-chain fatty acids and acylglycines in blood spots **72** (OA)
- Meningitis**, acute infective, use of cytokine and C-reactive protein measurements in cerebrospinal fluid **255** (OA)
- Menopause**, clinical biochemistry, and hormone replacement therapy **509** (R)
- Microalbuminuria**, in type 2 diabetic patients **160** (OA). **588** (L)
- Minimum detection limit**, immunofluorimetric assay, cofluorescence enhancement improves **576** (SR)
- Molt F4 human malignant lymphoblasts**, IMP dehydrogenase inhibition by mycophenolic acid **174** (OA)
- Mucopolysaccharidoses**
interaction with 1,9-dimethylmethylene blue **147** (OA)
screening, dimethylmethylene blue versus Alcian blue **267** (OA)
- Muscle function tests**, use in investigation of chronic alcohol misuse and chronic fatigue syndrome **462** (OA)
- Mycophenolic acid** in Molt F4 human malignant lymphoblasts, and inhibition of IMP dehydrogenase **174** (OA)
- Myocardial infarction**, early diagnosis **301** (L)
- N-acetyl- β -D-glucosaminidase**, urinary, reference ranges in healthy children determined with three colorimetric methods **87** (SR)
- Neuroblastoma**, diagnosis, relevance of paediatric reference ranges for urinary catecholamines/metabolites, **1** (R)
- Nitrophenylmaltoheptaoside amylase**, blocked methods, fresh haemolysis interferes with **371** (OA)
- 3alpha-OH bile acids**, conjugated and unconjugated serum, determination by high-performance liquid chromatography **479** (OA)
- On-call duties** in chemical pathology, survey of junior medical staff in the UK **184** (OA)
- Organic acid analysis**, urinary, quality assessment **129** (OA)
- Osteocalcin**, serum, and total and bone specific alkaline phosphatase and urinary hydroxyproline/creatinine compared, in Paget's disease of bone **327** (OA)
- Ovarian carcinoma**, expression of Gn-RH receptor **550** (OA)
- Ovarian epithelial carcinoma**, lack of evidence for aromatase expression **65** (OA)
- p-nitrophenylmaltoheptaoside amylase**, blocked methods, fresh haemolysis interferes with **371** (OA)
- Paediatric reference ranges** for urinary catecholamines/metabolites, relevance in neuroblastoma diagnosis **1** (R)
- Paediatrics**, lactic acidosis. clinical and laboratory evaluation **410** (R)
- Paget's disease of bone**, markers compared **327** (OA)
- Pancreatitis**, function tests **305** (R)
- Paracetamol**
-induced nephrotoxicity, retinol binding proteinuria and phosphaturia as markers **331** (OA)
binding to serum proteins **492** (OA)
poisoning, Parvalex interference with chloride estimation by Ag/AgCl method **181** (OA)
- Paraquat**, high serum concentrations increase apparent creatinine concentrations **198** (CR)
- Parathormone**, suppressed serum concentrations during hypercalcaemia in a surgically proven parathyroid adenoma of pregnancy **386** (CR)
- Parathyroid hormone-related protein**
endogenous, *in vitro* stability in blood and plasma **35** (OA)
and parathyroid hormone, stability at room temperature **497** (OA)
- Parvalex**, interference with chloride estimation by Ag/AgCl method **181** (OA)
- Peroxisomal disorders**, di/trihydroxycholestanoic acidemia **195** (SR)
- Phenylalanine** in blood spots, development of enzyme-mediated assay **140** (OA)
- Phenylketonuria**
enzyme-mediated assay using blood spots **140** (OA)
neonatal screening, evaluation of automated enzymatic method using blood spots **134** (OA)
- Phosphate**, serum inorganic, characteristics of monoclonal immunoglobulins that interfere with measurement **249** (OA)
- Phosphaturia** and retinol binding proteinuria, markers of paracetamol-induced nephrotoxicity **331** (OA)
- Photometric analysis**, interference due to lipaemia, survey of an underrated problem **281** (OA)
- Phytanic acid** in THCA-CoA oxidase deficiency **195** (SR)
- Pituitary surgery**, paired short Synacthen and insulin tolerance tests compared **46** (OA)
- Placental** and placental-like alkaline phosphatase isoenzymes, low serum levels in women with blood groups A and AB **89** (SR)
- Plasma protein A**, role in biochemical screening of trisomy 21 **447** (OA)
- Polarization fluoroimmunoassays** for theophylline, interference by caffeine **291** (OA)
- Porphyrria**, acute hepatic, normal serum alpha-fetoprotein **289** (SR)

- Pregnant women**, serum insulin-like growth factor binding protein-1, decreased concentrations following oral glucose overload **40** (OA)
- Pressure sores**, analysis of metabolites in human sweat **18** (OA)
- Pristanic acid** in THCA-CoA oxidase deficiency **195** (SR)
- Prostate specific antigen**, free, complexed and total serum, measurement by Roche Cobas Core and Hybritech TANDEM-E PSA assays, disagreement between **501** (OA)
- Proteins**, urinary, analysis by liquid chromatography **315** (R)
- Quality assessment scheme** for glucose suitable for use with visual-read Boehringer Mannheim BM-test 1-44 system **570** (SR)
- Quality assessment** of urinary organic acid analysis **129** (OA)
- Quality assurance** of cholesterol testing in a general practice surgery, long term experience **568** (SR)
- Quantase™** see Phenylketonuria
- Radioimmunoassay**, new highly-sensitive, application for plasma 21-deoxycortisol to detection of steroid-21-hydroxylase deficiency **56** (OA)
- Red cell glucose-6-phosphate dehydrogenase**, evaluation of reference values **50** (OA)
- Reference ranges** for urinary *N*-acetyl- β -D-glucosaminidase in healthy children determined with three colorimetric methods **87** (SR)
- Reflotron** cholesterol measurement in general practice, accuracy and detection of errors **556** (OA)
- Renal transplantation**, calcium metabolism following **125** (OA). **587** (L)
- Retinol binding proteinuria** and phosphaturia, markers of paracetamol-induced nephrotoxicity **331** (OA)
- Roche Cobas Core** assay and Hybritech TANDEM-E PSA assay, disagreement between when measuring free, complexed and total serum prostate specific antigen **501** (OA)
- Saudi Arabian children**
characterization of blood lead concentrations **469** (OA)
establishing reference total serum cholesterol values **347** (OA)
- Seminal plasma**, human, allergy to **298** (CR)
- Sickle cell anaemia** and glucose-6-phosphate dehydrogenase deficient Saudi subjects, erythrocyte reduced glutathione level **296** (SR)
- Signal transduction** in endocrine tissue, molecular aspects **205** (R)
- Sodium ion selective field effect transistors** for whole blood assay, clinical evaluation **12** (OA)
- Steroid-21-hydroxylase deficiency**, detection by new highly-sensitive radioimmunoassay for plasma 21-deoxycortisol **56** (OA)
- Sweat**, human, metabolite analysis **18** (OA)
- Synacthen (paired short)**, and insulin tolerance tests compared after pituitary surgery **46** (OA)
- Theophylline**
modification of Toxi-Lab procedure for enhanced detection **586** (L)
polarization fluoroimmunoassays, external quality assurance samples, interference by caffeine **291** (OA)
salivary concentrations in neonates **277** (OA)
- Toxi-Lab procedure**, modification for enhanced theophylline detection **586** (L)
- Trihydroxycholestanic acidemia**, heterogeneity **195** (SR)
- Trisomy 21**, first trimester biochemical screening **447** (OA)
- Tryptophan** in human serum, effects of storage on binding and stability **190** (SR)
- Turkey**, distribution of serum lipoprotein(a) concentrations **343** (OA)
- Variation**, intra-individual, in urine calcium and hydroxyproline, bone disorders **272** (OA)
- Visual-read Boehringer Mannheim BM-test 1-44 system**, suitable glucose quality assessment scheme **570** (SR)
- Visual screening method** for lactose maldigestion **566** (SR)
- Vitamin D** metabolism and clinical aspects of measuring metabolites **109** (R)
- Weed killer**, high serum concentrations of paraquat increase apparent creatinine concentrations **198** (CR)

